

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FII	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/886,741	06/21/2001		Vincent Chan	ATI.0100680	6028	
29153	7590	06/21/2006		EXAMINER		
ATI TECHI C/O VEDDE		ES, INC. KAUFMAN & K	CHU, CHRIS C			
222 N.LASALLE STREET				ART UNIT	PAPER NUMBER	
CHICAGO, IL 60601				2815		

DATE MAILED: 06/21/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

•			AV
	Application No.	Applicant(s)	<u>v</u>
	09/886,741	CHAN ET AL.	
Office Action Summary	Examiner	Art Unit	
	Chris C. Chu	2815	
The MAILING DATE of this communical Period for Reply	ion appears on the cover sheet w	ith the correspondence address	
A SHORTENED STATUTORY PERIOD FOR WHICHEVER IS LONGER, FROM THE MAIL - Extensions of time may be available under the provisions of 3 after SIX (6) MONTHS from the mailing date of this communic - If NO period for reply is specified above, the maximum statuto - Failure to reply within the set or extended period for reply will, Any reply received by the Office later than three months after earned patent term adjustment. See 37 CFR 1.704(b).	LING DATE OF THIS COMMUNI 7 CFR 1.136(a). In no event, however, may a ration. ry period will apply and will expire SIX (6) MO by statute, cause the application to become A	ICATION. reply be timely filed NTHS from the mailing date of this communi BANDONED (35 U.S.C. § 133).	
Status			
1)⊠ Responsive to communication(s) filed o	on 26 April 2006		
•	☐ This action is non-final.		
Since this application is in condition for closed in accordance with the practice	allowance except for formal mat		its is
Disposition of Claims			
4) ☐ Claim(s) See Continuation Sheet is/are 4a) Of the above claim(s) 10,14,19,22,2 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 2 - 9, 11 - 13, 17, 18, 20, 23 - 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction	26,42,50,52 and 62 is/are withdra 25, 41, 44 - 48, 53, 54, 56 - 61 a		
Application Papers			
9)☐ The specification is objected to by the E	xaminer.		
10) The drawing(s) filed on is/are: a	☐ accepted or b)☐ objected to	by the Examiner.	
Applicant may not request that any objection	- · · · · · · · · · · · · · · · · · · ·		
Replacement drawing sheet(s) including the 11) The oath or declaration is objected to by			
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for a) All b) Some * c) None of: 1. Certified copies of the priority do 2. Certified copies of the priority do 3. Copies of the certified copies of the application from the International * See the attached detailed Office action for	cuments have been received. cuments have been received in a the priority documents have been I Bureau (PCT Rule 17.2(a)).	Application No n received in this National Stage	e
Attachment(s)	_		
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO 		Summary (PTO-413) o(s)/Mail Date	
Notice of Draitsperson's Patent Drawing Review (FTO 3) Information Disclosure Statement(s) (PTO-1449 or PT Paper No(s)/Mail Date		Informal Patent Application (PTO-152)	

Continuation of Disposition of Claims: Claims pending in the application are 2 - 14, 17 - 20, 22 - 26, 41, 42, 44 - 48, 50, 52 - 54 and 56 - 67.

Art Unit: 2815

DETAILED ACTION

Response to Amendment

1. Applicant's amendment filed on April 26, 2006 has been received and entered in the case.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 2, 4 6, 8, 9, 12, 13, 41, 44 46, 48, 54, 56, 58, 60, 63 and 65 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tutsch et al. (U. S. Pat. No. 6,630,727) in view of Sudo et al. (U. S. Pat. No. 5,475,264).

Regarding claim 56, Tutsch et al. discloses in e.g., Fig. 2 a device comprising:

- a package module (a device in Fig. 2) including a substrate (2; column 7, line 30) having a standard package footprint;
- an unpackaged semiconductor die (the right-side chip 1; see Fig. 2 and column 7, line 34) attached to the package module (see Fig. 2), the unpackaged semiconductor die encapsulated (12; column 8, line 8) onto the package module in a structure having a planar top surface (see Fig. 2); and

Page 2

Art Unit: 2815

Page 3

- a separately packaged semiconductor die (the left-side chip 1 which is packaged by the element 12; see Fig. 2 and column 7, line 34) having a top surface and attached to the package module;

- wherein the planar top surface of the encapsulated structure and the top surface of the packaged semiconductor die are of equal distance from the substrate (see Fig. 2).

However, Tutsch et al. does not disclose a direct attachment of the unpackaged semiconductor die on the package module. Sudo et al. teaches in e.g., Fig. 2 and column 1, lines 14-31 a direct attachment (the attachment without adhesive, glue or attaching material) of an unpackaged semiconductor die (23; column 4, line 30) on a package module (22; column 4, line 31). It would have been obvious to one of ordinary skill in the art at the time when the invention was made to omit the adhesive layer (15) under the unpackaged semiconductor chip of Tutsch et al. as taught by Sudo et al. to improve an integration density and speed of a module (column 1, lines 14-31).

Regarding claim 2, Tutsch et al. discloses in Fig. 2 the packaged semiconductor being packaged in a ball grid array package (see Fig. 2 and column 8, lines 2-3).

Regarding claims 4 and 54, Tutsch et al. discloses in e.g., Fig. 2 the packaged semiconductor die being a memory (column 4, lines 60 - 65).

Regarding claim 5, Tutsch et al. discloses in Fig. 2 and Fig. 6 a plurality of packaged semiconductors (the left-side chips 1 which are packaged by the element 12) being attached to the package module (see e.g., Fig. 2).

Regarding claim 6, Tutsch et al. discloses in e.g., Fig. 2 the unpackaged semiconductor die (the right-side chip 1) being wire bonded (10; column 7, line 42) to the package module (see Fig. 2).

Regarding claim 8, the phrase "wherein attached includes surface-mount technology reflow" is product-by-process limitation. Even though product-by-process claims are limited by and defined by the process, determination of patentability is based upon the product itself. The patentability of a product does not depend on its method of production. If the product in product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product is made by a different process. In re Thorpe, 227 USPQ 964, 966 (Fed. Cir. 1985) (citations omitted). A "product by process" claim is directed to the product per se, no matter how actually made, In re Hirao, 190 USPQ 15 at 17 (footnote 3). See also In re Brown, 173 USPQ 685: In re Luck, 177 USPQ 523; In re Fessmann, 180 USPQ 324: In re Avery, 186 USPQ 116; In re Wertheim, 191 USPQ 90 (209 USPQ 254 does not deal with this issue); and In re Marosi et al., 218 USPQ 289 final product per se which must be determined in a "product by, all of" claim, and not the patentability of the process, and that an old or obvious product, whether claimed in "product by process" claims or not. Note that Applicant has the burden of proof in such cases, as the above caselaw makes clear.

Regarding claim 9, Tutsch et al. discloses in e.g., Fig. 2 and Fig. 6 the encapsulated structure (the right-side chip 1) having a footprint greater than the footprint of the unpackaged semiconductor die (one of the left-side chips 1).

Regarding claims 12, 48 and 60, since the element (5) of Tutsch et al. transfers a heat, the element 5 reads as a heat sink (column 3, lines 12 - 15, column 4, lines 11 - 12 and column 7,

Art Unit: 2815

lines 62 - 64). Thus, Tutsch et al. discloses a planar heat sink adapted to engage the encapsulated structure and the top surface of the packaged semiconductor.

Regarding claim 13, Tutsch et al. discloses in e.g., Fig. 2 a top surface of the unpackaged semiconductor die and a top surface of the packaged semiconductor being of substantially equal distance from a surface of the package module (see Fig. 2).

Regarding claim 41, Tutsch et al. discloses in e.g., Fig. 2 the encapsulated semiconductor die forming a substantially rectangular structure on the package (see Fig. 2 and Fig. 6).

Regarding claim 58, Tutsch et al. discloses in e.g., Fig. 2 a multi-die module, comprising:

- a substrate (2) having a first surface and a second surface;
- an unpackaged semiconductor die (the right-side chip 1) mounted to the first surface of the substrate, the semiconductor die encapsulated (12 and 5) in a structure having a planar top surface; and
- a packaged semiconductor die (the left-side chip 1 which is packaged by element 12) having a top surface and mounted on the first surface of the substrate;
- wherein the planar top surface of the encapsulated structure and the top surface of the packaged semiconductor die are of equal distance from the substrate (see Fig. 2).

However, Tutsch et al. does not disclose a direct attachment of the unpackaged semiconductor die on the package module. Sudo et al. teaches in e.g., Fig. 2 and column 1, lines 14-31 a direct attachment (the attachment without adhesive, glue or attaching material) of an unpackaged semiconductor die (23; column 4, line 30) on a package module (22; column 4, line 31). It would have been obvious to one of ordinary skill in the art at the time when the invention was made to omit the adhesive layer (15) under the unpackaged semiconductor chip of Tutsch et

Art Unit: 2815

al. as taught by Sudo et al. to improve an integration density and speed of a module (column 1, lines 14-31).

Regarding claim 44, Tutsch et al. discloses in e.g., Fig. 2 and Fig. 6 a second packaged semiconductor die (the other left-side chip 1 which is packaged by element 12; see Fig. 6) mounted on the first surface of the substrate.

Regarding claim 45, Tutsch et al. discloses in e.g., Fig. 2 and Fig. 6 a plurality of unpackaged semiconductor die mounted on the first surface of the substrate.

Regarding claim 46, Tutsch et al. discloses in e.g., Fig. 2 and Fig. 6 the unpackaged semiconductor die being mounted to the first surface of the substrate by wire bonding (10).

Regarding claims 63 and 65, Tutsch et al. discloses in e.g., Fig. 2 said unpackaged semiconductor die (the right-side chip 1) being at least partially encapsulated (12 and 5) on the package module (see e.g., Fig. 2).

4. Claims 47, 59, 61, 66 and 67 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tutsch et al. in view of Sudo et al. and further in view of Lu et al. (U. S. Pat. No. 6,294,731).

Regarding claims 47, 59 and 61, Tutsch et al. discloses in e.g., Fig. 2 a multi-die module, comprising:

- a substrate (2) having a first surface;
- an unpackaged semiconductor die (the right-side chip 1) mounted to the first surface of the substrate, the semiconductor die encapsulated (12) in a structure having a planar top surface; and

Art Unit: 2815

- a packaged semiconductor die (the left-side chip 1 which is packaged by element 12) having a top surface (claim 61) and mounted on the first surface of the substrate,
- wherein the encapsulating structure (12 and 5); and
- wherein the planar top surface of the encapsulated structure and the top surface of the packaged semiconductor die are of equal distance from the substrate (see Fig. 2).

However, Tutsch et al. does not disclose a direct attachment of the unpackaged semiconductor die on the package module and the material of the encapsulating structure. Sudo et al. discloses in e.g., Fig. 2 and column 1, lines 14 - 31 a direct attachment (the attachment without adhesive, glue or attaching material) of an unpackaged semiconductor die (23; column 4, line 30) on a package module (22; column 4, line 31). It would have been obvious to one of ordinary skill in the art at the time when the invention was made to omit the adhesive layer (15) under the unpackaged semiconductor chip of Tutsch et al. as taught by Sudo et al. to improve an integration density and speed of a module (column 1, lines 14 - 31).

Furthermore, Tutsch et al. and Sudo et al. do not disclose a material of the encapsulating structure being metal cap (claim 47, 59 and 61). Lu et al. teaches in e.g., Fig. 1 a material of the encapsulating structure (140) being metal cap (column 7, line 55). It would have been obvious to one of ordinary skill in the art at the time when the invention was made to apply the metal cap of Lu et al. into the specific material to form the encapsulating structure on top of the chips of Tutsch et al. and Sudo et al. as taught by Lu et al. to provide EMI shield (column 9, line 64).

Regarding claims 66 and 67, Tutsch et al. discloses in e.g., Fig. 2 the semiconductor die (the right-side chip 1) being at least partially encapsulated (12 and 5) on the package module (see e.g., Fig. 2).

5. Claims 3, 7, 17, 18, 20, 24, 25, 53, 57 and 64 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tutsch et al. in view of Sudo et al. and further in view of Hannah '232.

Regarding claims 3, 53 and 57, Tutsch et al. discloses in e.g., Fig. 2 a device comprising:

- a package module (a structure in Fig. 2);
- a die (the right-side chip 1) attached to the package module, the die encapsulated (12 and 5) on the package module in a structure having a planar top surface; and
- a packaged memory die (the left-side chip 1 which is packaged by element 12; column
 4, lines 60 65) having a top surface and attached to the package module;
- wherein the planar top surface of the encapsulated structure and the top surface of the packaged die are of equal distance from the package module (see Fig. 2).

However, Tutsch et al. does not disclose a direct attachment of the unpackaged semiconductor die on the package module and the material of the encapsulating structure. Sudo et al. discloses in e.g., Fig. 2 and column 1, lines 14-31 a direct attachment (the attachment without adhesive, glue or attaching material) of an unpackaged semiconductor die (23; column 4, line 30) on a package module (22; column 4, line 31). It would have been obvious to one of ordinary skill in the art at the time when the invention was made to omit the adhesive layer (15) under the unpackaged semiconductor chip of Tutsch et al. as taught by Sudo et al. to improve an integration density and speed of a module (column 1, lines 14-31).

Furthermore, Tutsch et al. and Sudo et al. do not disclose the semiconductor dice being graphics-processor die. However, Hannah teaches in column 3, lines 42 - 46 and column 5, lines 16 - 21 semiconductor dice being a graphics-processor. Thus, it would have been obvious to one of ordinary skill in the art at the time when the invention was made to modify Tutsch et al. and

Art Unit: 2815

Sudo et al. by using the graphics-processor of Hannah to be the unpackaged semiconductor die of Tutsch et al. and Sudo et al. as taught by Hannah. The ordinary artisan would have been motivated to modify Tutsch et al. and Sudo et al. in the manner described above for at least the purpose of receiving commands and graphics data from the main CPU of the computer (column 3, lines 42 - 46).

Regarding claim 7, Tutsch et al. and Sudo et al., as modified, disclose the graphics processing die (the right-side chip 1) being wire bonded (10) to the package module (see Fig. 2).

Regarding claim 17, Tutsch et al. and Sudo et al., as modified, discloses a plurality of packaged memory (the left-side chips 1; see Fig. 6 of Tutsch et al.) being attached to the package module.

Regarding claim 18, Tutsch et al. and Sudo et al., as modified, discloses directly attached including the graphics processing die (the right-side chip 1) being wire bonded (10) to the package module (see Fig. 2 of Tutsch et al.).

Regarding claim 20, the phrase "wherein attached includes surface-mount technology reflow" is product-by-process limitation. Even though product-by-process claims are limited by and defined by the process, determination of patentability is based upon the product itself. The patentability of a product does not depend on its method of production. If the product in product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product is made by a different process. In re Thorpe, 227 USPQ 964, 966 (Fed. Cir. 1985) (citations omitted). A "product by process" claim is directed to the product per se, no matter how actually made, In re Hirao, 190 USPQ 15 at 17 (footnote 3). See also ln re Brown, 173 USPQ 685: In re Luck, 177 USPQ 523; In re Fessmann, 180 USPQ

324: In re Avery, 186 USPQ 116; In re Wertheim, 191 USPQ 90 (209 USPQ 254 does not deal with this issue); and In re Marosi et al., 218 USPQ 289 final product per se which must be determined in a "product by, all of' claim, and not the patentability of the process, and that an old or obvious product, whether claimed in "product by process" claims or not. Note that Applicant has the burden of proof in such cases, as the above caselaw makes clear.

Regarding claim 24, since the element (5) of Tutsch et al. transfers a heat, the element 5 read as a heat sink (column 3, lines 12 – 15, column 4, lines 11 – 12 and column 7, lines 62 – 64). Thus, Tutsch et al. discloses a heat sink.

Regarding claim 25, Tutsch et al. and Sudo et al., as modified, disclose in e.g., Fig. 2 a top surface of the graphics-processor die and a top surface of the packaged memory being of substantially equal distance from a surface of the package module (see Fig. 2).

Regarding claim 64, Tutsch et al. and Sudo et al., as modified, disclose in e.g., Fig. 2 said graphics-processing die being at least partially encapsulated on the package module.

6. Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Tutsch et al. and Sudo et al. as applied to claim 56 above, and further in view of Takano et al. '907.

Tutsch et al. and Sudo et al. disclose the semiconductor package set forth in the claims except for the standard package sizes being 40mm X 40mm. However, Takano et al. teaches in TABLE 1 a standard package sizes being 40mm X 40mm. Thus, it would have been obvious to one of ordinary skill in the art at the time when the invention was made to modify Tutsch et al. and Sudo et al. by using the standard package sizes as taught by Takano et al. The ordinary artisan would have been motivated to modify Tutsch et al. and Sudo et al. in the manner

described above for at least the purpose of reducing a limitation in the size of a semiconductor chip (column 2, lines 6 and 7).

7. Claim 23 is rejected under 35 U.S.C. 103(a) as being unpatentable over Tutsch et al., Sudo et al. and Hannah as applied to claim 57 above, and further in view of Takano et al.

Tutsch et al., Sudo et al. and Hannah disclose the semiconductor package set forth in the claims except for the standard package sizes being 40mm X 40mm. However, Takano et al. teaches in TABLE 1 a standard package sizes being 40mm X 40mm. Thus, it would have been obvious to one of ordinary skill in the art at the time when the invention was made to further modify Tutsch et al., Sudo et al. and Hannah by using the standard package sizes as taught by Takano et al. The ordinary artisan would have been motivated to further modify Tutsch et al., Sudo et al. and Hannah in the manner described above for at least the purpose of reducing a limitation in the size of a semiconductor chip (column 2, lines 6 and 7).

Response to Arguments


8. Applicant's arguments filed on April 26, 2006 have been fully considered but they are not persuasive.

On page 11, applicant argues that Tutsch does not teach "wherein the planar top surface of the encapsulated structure and the top surface of the package semiconductor die are of equal distance from the substrate". This argument is not persuasive (see the figure in next page).

Since the semiconductor die (D1) is packaged by a molding material (12; column 7, lines 43 and

Art Unit: 2815

44), hence the semiconductor package in the opening (6, at the left side) reads as a packaged semiconductor die (Pd).



Thus, the top surface (Ts1) of the packaged semiconductor die (Pd) is a planar top surface (see the above figure) of the molding material (12). Furthermore, the unpackaged semiconductor die (D2; column 7, line 34 of Tutsch et al.) is encapsulated onto the substrate (2) and the top surface (Ts2) of the unpackaged semiconductor die is the top surface of the encapsulation material (12) that has a planar top surface (see the above figure). Since the top surface (Ts1) of the packaged semiconductor die (Pd) and the top surface (Ts2) of the unpackaged semiconductor die (D2) are of equal distance from the substrate (2; see the above figure). Thus, Tutsch does teach the following limitation "wherein the planar top surface of the encapsulated structure and the top surface of the package semiconductor die are of equal distance from the substrate".

For the above reasons, the rejection is maintained.

Conclusion

9. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chris C. Chu whose telephone number is 571-272-1724. The examiner can normally be reached on 11:30 - 8:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kenneth Parker can be reached on 571-272-2298. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR.

Art Unit: 2815

Page 14

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have

questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at

866-217-9197 (toll-free).

Chris C. Chu

Examiner

Art Unit 2815

c.c.

Thursday, June 15, 2006

KENNETH PARKER
SUPERVISORY PATENT EXAMINER